



EN

EISEN NEUMÜLLER
LAGERLISTE

FLACHSTAHL
RUNDSTAHL
VIERKANTSTAHL
WINKELSTAHL
SPEZIAL-U-STAHL
T-STAHL
AUTOMATENSTAHL
BLANKSTAHL

**STAB
STAHL**



Flachstahl

Flachstahl EN 10058 + Breitflachstahl
DIN 59200, Qualität S 235JR + AR/EN 10025

ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
FL010/03		10/3mm	0,24	3,60
FL010/04		10/4mm	0,31	3,60
FL010/05	•	10/5mm	0,39	3,00
FL012/03	•	12/3mm	0,28	3,60
FL012/04		12/4mm	0,38	3,60
FL012/05	•	12/5mm	0,47	3,00
FL012/06	•	12/6mm	0,57	3,00
FL015/03	•	15/3mm	0,35	3,60
FL015/04	•	15/4mm	0,47	3,00
FL015/05	•	15/5mm	0,59	2,80
FL015/06	•	15/6mm	0,71	2,80
FL015/08	•	15/8mm	0,94	2,80
FL015/10	•	15/10mm	1,18	2,80
FL020/03	•	20/3mm	0,47	2,00
FL020/04	•	20/4mm	0,63	2,00
FL020/05	•	20/5mm	0,79	1,60
FL020/06	•	20/6mm	0,94	1,60
FL020/08	•	20/8mm	1,26	1,60
FL020/10	•	20/10mm	1,57	1,60
FL020/12	•	20/12mm	1,88	1,60
FL020/15		20/15mm	2,36	2,40
FL025/03	•	25/3mm	0,59	2,00
FL025/04	•	25/4mm	0,79	2,00
FL025/05	•	25/5mm	0,98	1,60
FL025/06	•	25/6mm	1,18	1,60
FL025/08	•	25/8mm	1,57	1,60
FL025/10	•	25/10mm	1,96	1,60

Flachstahl

Flachstahl EN 10058 + Breitflachstahl
DIN 59200, Qualität S 235JR + AR/EN 10025



ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
FL025/12	•	25/12mm	2,36	1,60
FL025/15	•	25/15mm	2,94	1,60
FL030/03	•	30/3mm	0,71	2,00
FL030/04	•	30/4mm	0,94	2,00
FL030/05	•	30/5mm	1,18	1,60
FL030/06	•	30/6mm	1,41	1,60
FL030/08	•	30/8mm	1,88	1,60
FL030/10	•	30/10mm	2,36	1,60
FL030/12	•	30/12mm	2,83	1,60
FL030/15	•	30/15mm	3,53	1,60
FL030/20	•	30/20mm	4,71	2,40
FL035/03		35/3mm	0,82	3,00
FL035/04		35/4mm	1,10	2,50
FL035/05	•	35/5mm	1,37	1,60
FL035/06	•	35/6mm	1,65	1,60
FL035/08	•	35/8mm	2,20	1,60
FL035/10	•	35/10mm	2,75	1,60
FL035/12	•	35/12mm	3,30	1,60
FL035/15	•	35/15mm	4,12	1,60
FL035/20	•	35/20mm	5,50	2,40
FL040/03	•	40/3mm	0,94	1,80
FL040/04	•	40/4mm	1,26	1,80
FL040/05	•	40/5mm	1,57	1,60
FL040/06	•	40/6mm	1,88	1,60
FL040/08	•	40/8mm	2,51	1,60
FL040/10	•	40/10mm	3,14	1,60
FL040/12	•	40/12mm	3,77	1,60
FL040/15	•	40/15mm	4,71	1,60



Flachstahl

Flachstahl EN 10058 + Breitflachstahl
DIN 59200, Qualität S 235JR + AR/EN 10025

ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
FL040/20	•	40/20mm	6,28	1,60
FL040/25	•	40/25mm	7,85	2,40
FL040/30	•	40/30mm	9,42	2,60
FL045/03		45/3mm	1,06	2,80
FL045/04		45/4mm	1,41	2,50
FL045/05	•	45/5mm	1,77	1,60
FL045/06	•	45/6mm	2,12	1,60
FL045/08	•	45/8mm	2,83	1,60
FL045/10	•	45/10mm	3,53	1,60
FL045/12	•	45/12mm	4,24	1,60
FL045/15	•	45/15mm	5,30	2,40
FL045/20	•	45/20mm	7,07	2,40
FL050/03	•	50/3mm	1,18	1,80
FL050/04	•	50/4mm	1,57	1,80
FL050/05	•	50/5mm	1,96	1,60
FL050/06	•	50/6mm	2,36	1,60
FL050/08	•	50/8mm	3,14	1,60
FL050/10	•	50/10mm	3,93	1,60
FL050/12	•	50/12mm	4,71	1,60
FL050/15	•	50/15mm	5,89	1,60
FL050/20	•	50/20mm	7,85	1,60
FL050/25	•	50/25mm	9,81	1,60
FL050/30	•	50/30mm	11,78	1,60
FL060/03	•	60/3mm	1,41	2,00
FL060/04	•	60/4mm	1,88	1,60
FL060/05	•	60/5mm	2,36	1,60

Flachstahl

Flachstahl EN 10058 + Breitflachstahl
DIN 59200, Qualität S 235JR + AR/EN 10025



ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
FL060/06	•	60/6mm	2,83	1,60
FL060/08	•	60/8mm	3,77	1,60
FL060/10	•	60/10mm	4,71	1,60
FL060/12	•	60/12mm	5,65	1,60
FL060/15	•	60/15mm	7,07	1,60
FL060/20	•	60/20mm	9,42	1,60
FL060/25	•	60/25mm	11,80	2,40
FL060/30	•	60/30mm	14,10	2,40
FL060/40	•	60/40mm	18,80	2,50
FL070/05	•	70/5mm	2,75	1,60
FL070/06	•	70/6mm	3,30	1,60
FL070/08	•	70/8mm	4,40	1,60
FL070/10	•	70/10mm	5,50	1,60
FL070/12	•	70/12mm	6,59	1,60
FL070/15	•	70/15mm	8,24	1,60
FL070/20	•	70/20mm	11,00	1,60
FL070/25	•	70/25mm	13,70	2,40
FL070/30	•	70/30mm	16,50	2,50
FL070/40	•	70/40mm	22,00	2,60
FL080/03	•	80/3mm	1,88	2,80
FL080/04	•	80/4mm	2,51	2,80
FL080/05	•	80/5mm	3,14	1,60
FL080/06	•	80/6mm	3,77	1,60
FL080/08	•	80/8mm	5,02	1,60
FL080/10	•	80/10mm	6,28	1,60
FL080/12	•	80/12mm	7,54	1,60



Flachstahl

Flachstahl EN 10058 + Breitflachstahl
DIN 59200, Qualität S 235JR + AR/EN 10025

ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
FL080/15	•	80/15mm	9,42	1,60
FL080/20	•	80/20mm	12,60	1,60
FL080/25	•	80/25mm	15,70	2,40
FL080/30	•	80/30mm	18,80	2,60
FL080/40	•	80/40mm	25,10	2,70
FL080/50	•	80/50mm	31,40	2,70
FL090/05	•	90/5mm	3,53	1,60
FL090/06	•	90/6mm	4,24	1,60
FL090/08	•	90/8mm	5,65	1,60
FL090/10	•	90/10mm	7,07	1,60
FL090/12	•	90/12mm	8,48	1,60
FL090/15	•	90/15mm	10,60	1,60
FL090/20	•	90/20mm	14,10	1,60
FL100/03	•	100/3mm	2,36	3,00
FL100/04	•	100/4mm	3,14	2,80
FL100/05	•	100/5mm	3,93	1,60
FL100/06	•	100/6mm	4,71	1,60
FL100/08	•	100/8mm	6,28	1,60
FL100/10	•	100/10mm	7,85	1,60
FL100/12	•	100/12mm	9,42	1,60
FL100/15	•	100/15mm	11,80	1,60
FL100/20	•	100/20mm	15,70	1,60
FL100/25	•	100/25mm	19,60	1,60
FL100/30	•	100/30mm	23,60	1,80
FL100/40	•	100/40mm	31,40	2,70
FL100/50	•	100/50mm	39,30	2,70

Flachstahl

Flachstahl EN 10058 + Breitflachstahl
DIN 59200, Qualität S 235JR + AR/EN 10025



ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
FL120/05	•	120/5mm	4,71	1,80
FL120/06	•	120/6mm	5,65	1,80
FL120/08	•	120/8mm	7,54	1,60
FL120/10	•	120/10mm	9,42	1,60
FL120/12	•	120/12mm	11,30	1,60
FL120/15	•	120/15mm	14,10	1,60
FL120/20	•	120/20mm	18,80	1,60
FL120/25	•	120/25mm	23,60	1,60
FL130/10		130/10mm	10,20	1,60
FL140/08	•	140/8mm	8,79	1,80
FL140/10	•	140/10mm	10,99	1,80
FL140/12	•	140/12mm	13,20	1,80
FL140/15	•	140/15mm	16,49	1,80
FL150/06	•	150/6mm	7,07	1,80
FL150/08	•	150/8mm	9,42	1,80
FL150/10	•	150/10mm	11,80	1,80
FL150/12	•	150/12mm	14,10	1,80
FL150/15	•	150/15mm	17,70	1,80
FL150/20	•	150/20mm	23,60	2,00
FL150/30	•	150/30mm	35,30	2,70
FL160/08	•	160/8mm	10,20	1,80
FL160/10	•	160/10mm	12,80	1,80
FL160/15	•	160/15mm	19,20	1,80
FL160/20	•	160/20mm	25,60	1,80
FL160/25	•	160/25mm	32,00	2,70



Flachstahl

Flachstahl EN 10058 + Breitflachstahl
DIN 59200, Qualität S 235JR + AR/EN 10025

ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
FL180/08	•	180/08mm	11,50	1,80
FL180/10	•	180/10mm	14,40	1,80
FL180/15	•	180/15mm	21,60	1,80
FL180/20	•	180/20mm	28,80	2,00
FL200/05	•	200/5mm	8,00	3,60
FL200/06	•	200/6mm	9,60	2,80
FL200/08	•	200/8mm	12,80	1,80
FL200/10	•	200/10mm	16,00	1,80
FL200/12	•	200/12mm	19,20	1,80
FL200/15	•	200/15mm	24,00	1,80
FL200/20	•	200/20mm	32,00	1,80
FL200/25	•	200/25mm	40,00	2,80
FL200/30	•	200/30mm	48,00	2,80
FL220/10	•	220/10mm	17,60	2,70
FL220/15	•	220/15mm	26,40	2,70
FL220/20	•	220/20mm	35,20	2,70
FL250/08	•	250/8mm	16,00	2,00
FL250/10	•	250/10mm	20,00	1,80
FL250/12	•	250/12mm	24,00	1,80
FL250/15	•	250/15mm	30,00	1,80
FL250/20	•	250/20mm	40,00	1,80
FL250/25	•	250/25mm	50,00	2,80
FL250/30	•	250/30mm	60,00	2,80


Flachstahl

Flachstahl EN 10058 + Breitflachstahl
DIN 59200, Qualität S 235JR + AR/EN 10025



STABSTAHL

ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
FL300/08	•	300/8mm	19,20	1,80
FL300/10	•	300/10mm	24,00	1,80
FL300/12	•	300/12mm	28,80	1,80
FL300/15	•	300/15mm	36,00	1,80
FL300/20	•	300/20mm	48,00	1,80
FL300/25	•	300/25mm	60,00	3,00
FL300/30	•	300/30mm	72,00	3,00
FL350/10	•	350/10mm	28,00	3,00
FL350/12	•	350/12mm	33,60	3,00
FL350/15	•	350/15mm	42,00	3,00
FL350/20	•	350/20mm	56,00	3,00
FL350/25	•	350/25mm	70,00	3,00
FL350/30	•	350/30mm	84,00	3,00
FL400/10	•	400/10mm	32,00	3,00
FL400/12	•	400/12mm	38,40	3,00
FL400/15	•	400/15mm	48,00	3,00
FL400/20	•	400/20mm	64,00	3,00
FL400/25	•	400/25mm	80,00	3,00
FL400/30	•	400/30mm	96,00	3,00



Rundstahl


Rundstahl EN 10060

Qualität S 235JR + AR/EN 10025

ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
RD006	•	6mm	0,22	2,90
RD008	•	8mm	0,40	1,80
RD010	•	10mm	0,62	1,60
RD012	•	12mm	0,89	1,60
RD014	•	14mm	1,21	1,60
RD015	•	15mm	1,39	1,60
RD016	•	16mm	1,58	1,60
RD018	•	18mm	2,00	1,60
RD020	•	20mm	2,47	1,60
RD022	•	22mm	2,98	1,60
RD024	•	24mm	3,55	1,60
RD025	•	25mm	3,85	1,60
RD026		26mm	4,17	1,60
RD028		28mm	4,83	1,60
RD030	•	30mm	5,55	1,60
RD032		32mm	6,31	1,80
RD035	•	35mm	7,55	1,60
RD040	•	40mm	9,86	1,60
RD050	•	50mm	15,41	1,60
RD060		60mm	22,20	1,80
RD070		70mm	30,20	1,80
RD080		80mm	39,50	1,80
RD100		100mm	61,70	1,80


Winkelstahl

Winkelstahl EN 10056 Teil I + II
Qualität S 235JR + AR/EN 10025



STABSTAHL

ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
WI010/02		10/10/2mm	0,28	7,00
WI015/02		15/15/2mm	0,41	7,00
WI015/03		15/15/3mm	0,64	7,00
WI020/03	•	20/20/3mm	0,88	1,80
WI020/04	•	20/20/4mm	1,12	1,80
WI025/03	•	25/25/3mm	1,14	1,80
WI025/04	•	25/25/4mm	1,45	1,80
WI030/020/03	•	30/20/3mm	1,11	2,00
WI030/020/04	•	30/20/4mm	1,45	2,00
WI030/03	•	30/30/3mm	1,36	1,80
WI030/04	•	30/30/4mm	1,78	1,80
WI030/05		30/30/5mm	2,18	1,80
WI035/04	•	35/35/4mm	2,10	1,80
WI035/05	•	35/35/5mm	2,57	1,80
WI040/020/03	•	40/20/3mm	1,35	1,80
WI040/020/04	•	40/20/4mm	1,77	1,80
WI040/025/05	•	40/25/5mm	2,37	1,80
WI040/04	•	40/40/4mm	2,42	1,80
WI040/05	•	40/40/5mm	2,97	1,80
WI040/06		40/40/6mm	3,52	1,80
WI045/05	•	45/45/5mm	3,38	1,80
WI045/06	•	45/45/6mm	4,00	1,80



Winkelstahl

Winkelstahl EN 10056 Teil I + II
Qualität S 235JR + AR/EN 10025

ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
WI050/030/05	•	50/30/5mm	2,96	1,80
WI050/04		50/50/4mm	3,06	1,80
WI050/040/05		50/40/5mm	3,35	1,80
WI050/05	•	50/50/5mm	3,77	1,80
WI050/06	•	50/50/6mm	4,47	1,80
WI060/030/05	•	60/30/5mm	3,37	1,80
WI060/040/05	•	60/40/5mm	3,76	1,80
WI060/040/06	•	60/40/6mm	4,46	1,80
WI060/05		60/60/5mm	4,57	1,80
WI060/06	•	60/60/6mm	5,42	1,80
WI060/08	•	60/60/8mm	7,09	1,80
WI070/06	•	70/70/6mm	6,38	1,80
WI070/07	•	70/70/7mm	7,38	1,80
WI075/055/05		75/55/5mm	4,95	1,80
WI080/040/06	•	80/40/6mm	5,41	1,80
WI080/040/08	•	80/40/8mm	7,07	1,80
WI080/060/06	•	80/60/6mm	6,38	1,80
WI080/060/08	•	80/60/8mm	8,36	1,80
WI080/065/06		80/65/6mm	6,60	1,80
WI080/065/08		80/65/8mm	8,66	1,80
WI080/08	•	80/80/8mm	9,66	1,80
WI080/10	•	80/80/10mm	11,90	1,80


Winkelstahl

Winkelstahl EN 10056 Teil I + II
Qualität S 235JR + AR/EN 10025



STABSTAHL

ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
WI090/060/06		90/60/6mm	6,82	1,80
WI090/060/08		90/60/8mm	8,96	1,80
WI090/09	•	90/90/9mm	12,20	1,80
WI100/050/06	•	100/50/6mm	6,85	2,00
WI100/050/08	•	100/50/8mm	8,99	2,00
WI100/050/10	•	100/50/10mm	11,10	2,00
WI100/065/07		100/65/7mm	8,77	2,00
WI100/065/09	•	100/65/9mm	11,10	2,00
WI100/075/09		100/75/9mm	11,80	2,00
WI100/08	•	100/100/8mm	12,20	2,00
WI100/10	•	100/100/10mm	15,10	2,00
WI100/12		100/100/12mm	17,80	2,00
WI110/10		110/110/10mm	16,60	2,00
WI120/080/08	•	120/80/8mm	12,20	2,00
WI120/080/10	•	120/80/10mm	15,00	2,00
WI120/080/12		120/80/12mm	17,80	3,00
WI120/10	•	120/120/10mm	18,20	2,00
WI120/11		120/120/11mm	19,90	2,00
WI120/12	•	120/120/12mm	21,60	2,00
WI130/090/10		130/90/10mm	16,60	2,00
WI130/090/12		130/90/12mm	19,70	2,00
WI130/12		130/130/12mm	23,60	3,00
WI140/12		140/140/12mm	25,40	3,00
WI140/13		140/140/13mm	27,50	3,00




Winkelstahl

Winkelstahl EN 10056 Teil I + II
Qualität S 235JR + AR/EN 10025

ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
WI150/100/10	•	150/100/10mm	19,00	2,00
WI150/100/12		150/100/12mm	22,60	2,00
WI150/12	•	150/150/12mm	27,30	2,00
WI150/15		150/150/15mm	33,80	2,00
WI160/80/10	•	160/80/10mm	18,20	2,00
WI160/16		160/160/16mm	38,50	3,00
WI180/16	•	180/16mm	43,50	3,00
WI180/18		180/180/18mm	48,60	3,00
WI200/100/10	•	200/100/10mm	23,00	2,00
WI200/100/12		200/100/12mm	27,30	2,00
WI200/100/14		200/100/14mm	31,60	2,00
WI200/100/16		200/100/16mm	35,90	2,00
WI200/15		200/200/15mm	44,95	2,00
WI200/16	•	200/200/16mm	48,50	2,00
WI200/20		200/200/20mm	59,90	2,00

Winkelstahl verzinkt

Winkelstahl EN 10056 Teil I + II
Qualität S 235JR + AR/EN 10025



ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
WIV020/03		20/20/3mm	0,96	4,00
WIV025/03		25/25/3mm	1,18	4,00
WIV030/03	•	30/30/3mm	1,43	3,00
WIV035/04		35/35/4mm	2,20	3,00
WIV040/04	•	40/40/4mm	2,54	3,00
WIV040/05		40/40/5mm	3,12	3,00
WIV050/05	•	50/50/5mm	3,96	3,00
WIV060/06	•	60/60/6mm	5,69	3,00
WIV070/07		70/70/7mm	7,38	3,00
WIV080/08		80/80/8mm	9,66	3,00



Spezial U-Stahl


Spezial U-Stahl EN 10279

Qualität S 235JR + AR/EN 10025

ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
U030/015/04	•	30/15/4 mm	1,74	1,80
U040/020/05	•	40/20/5 mm	2,87	1,80
U040/035/05	•	40/35/5 mm	4,87	1,80
U050/025/05	•	50/25/5 mm	3,86	1,80
U050/038/05	•	50/38/5 mm	5,59	1,80
U060/030/06	•	60/30/6 mm	5,10	1,80
U065/042/05,5	•	65/42/5,5 mm	7,09	1,80

Vierkantstahl

Vierkantstahl EN 10059
Qualität S 235JR + AR/EN 10025



STABSTAHN

ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
VK006	•	6mm	0,28	3,00
VK008	•	8mm	0,50	1,80
VK010	•	10mm	0,79	1,60
VK012	•	12mm	1,13	1,60
VK014	•	14mm	1,54	1,60
VK015	•	15mm	1,77	1,60
VK016	•	16mm	2,01	1,60
VK018	•	18mm	2,54	1,60
VK020	•	20mm	3,14	1,60
VK022		22mm	3,80	1,60
VK025	•	25mm	4,91	1,60
VK030	•	30mm	7,07	1,80
VK035		35mm	9,62	1,80
VK040	•	40mm	12,56	1,80
VK050	•	50mm	19,63	1,80
VK060		60mm	28,30	1,80
VK070	•	70mm	38,50	2,50
VK080		80mm	50,20	2,80
VK100		100mm	78,50	3,00
VK120		120mm	113,00	3,00



T-Stahl

T-Stahl EN 10055

Qualität S 235JR + AR/EN 10025


ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
T020/03		20/20/3mm	0,88	1,80
T025/03,5		25/25/3,5mm	1,29	1,80
T030/04	•	30/30/4mm	1,77	1,80
T035/04,5		35/35/4,5mm	2,33	1,80
T040/05	•	40/40/5mm	2,96	1,80
T045/05,5		45/45/5,5mm	3,67	1,80
T050/06	•	50/50/6mm	4,44	1,80
T060/07	•	60/60/7mm	6,23	1,80
T070/08	•	70/70/8mm	8,32	1,80
T080/09	•	80/80/9mm	10,70	1,80
T090/10		90/90/10mm	13,40	1,80
T100/11	•	100/100/11mm	16,40	1,80
T120/13		120/120/13mm	23,20	1,80
T140/15		140/140/15mm	31,30	1,80

Automatenstahl blank rund


Qualität: 11SMn30/37 K/Sh (1.0715, 1.0736)

EN 10087 geschält nach EN 10278/h9

DIN 671/h9 Stangenlänge: ca. 3 lfm od 6 lfm




ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
AUT006		6mm	0,22	2,80
AUT008	•	8mm	0,40	2,80
AUT010	•	10mm	0,62	2,80
AUT012		12mm	0,89	2,80
AUT014		14mm	1,21	2,80
AUT015	•	15mm	1,39	2,80
AUT016		16mm	1,58	2,80
AUT018	•	18mm	2,00	2,80
AUT020		20mm	2,47	2,80
AUT022		22mm	2,98	2,80
AUT024		24mm	3,55	2,80
AUT025	•	25mm	3,85	2,80
AUT028		28mm	4,83	2,80
AUT030	•	30mm	5,55	2,80
AUT035		35mm	7,55	2,80
AUT040		40mm	9,87	2,80
AUT045		45mm	12,49	2,80
AUT050		50mm	15,41	2,80
AUT060		60mm	22,20	2,80
AUT070		70mm	30,21	2,80
AUT080		80mm	39,46	2,80
AUT090		90mm	49,94	2,80
AUT100		100mm	61,65	2,80



Rundstahl blank

Qualität: S 235JR / S 235JRG2C (1.0122)
EN 10277 Teil 1–5, DIN 1652 Teil 1–4
gezogen nach DIN 671/h9, Länge: ca. 6 lfm

ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
RDB004	•	4mm	0,09	3,00
RDB005	•	5mm	0,16	3,00
RDB006	•	6mm	0,23	2,40
RDB008	•	8mm	0,40	2,40
RDB010	•	10mm	0,62	2,40
RDB012	•	12mm	0,89	2,40
RDB014	•	14mm	1,21	2,40
RDB015	•	15mm	1,39	2,40
RDB016	•	16mm	1,58	2,40
RDB018		18mm	2,00	2,40
RDB020	•	20mm	2,47	2,40
RDB022		22mm	2,98	2,40
RDB024		24mm	3,55	2,40
RDB025	•	25mm	3,85	2,40
RDB028		28mm	4,83	2,40
RDB030	•	30mm	5,55	2,40
RDB035		35mm	7,55	2,40
RDB038		38mm	8,90	2,40
RDB040	•	40mm	9,87	2,40
RDB045		45mm	12,49	2,40



ARTIKELNUMMER	LAGERND	DIMENSION	KG / LFM	EUR / KG
RDB050	•	50mm	15,41	2,40
RDB060	•	60mm	22,20	2,40
RDB065		65mm	26,00	2,40
RDB070		70mm	30,21	2,40
RDB080		80mm	39,46	2,40
RDB090		90mm	49,90	2,40
RDB100		100mm	61,70	2,40